



**TARALAY
IMPRESSION
& UNI 2017**

Gerflor[®]
theflooringgroup

THE COLLECTIONP. 04 - 35

DESIGN
OVERVIEWP. 36 - 44

BOISP. 38 - 40

CEMENTO P. 41

GENTLEMEN P. 41

MOHAIR P. 41

TRAME P. 41

CORNER P. 42

KUBES P. 42

NEST P. 43

RICE P. 43

STARS P. 43

UNI P. 44

PRODUCT DESCRIPTIONS..... P. 46

TECHNICAL DATA SHEET..... P. 47

TARALAY IMPRESSION & UNI



ULTRA-REALISTIC DESIGNS:

New embosses and new plank dimensions for wood designs



MATT EFFECT



EXTREME STAIN RESISTANCE, EASY MAINTENANCE:

ProtecSol® 2 surface treatment
(patented technology by Gerflor)



HIGH TRAFFIC RESISTANCE, LONG-LASTING APPEARANCE

Available with a 0.7mm wearlayer and available with a 0.9mm wearlayer upon request
(minimum order quantity of 1600 sq.m)



THE BEST ACOUSTIC / INDENTATION PERFORMANCE ON THE MARKET

COMPACT : 0,03 mm / 8 dB

COMFORT : 0,08 mm / 19 dB (Uni: 17 dB)



ECO-RESPONSIBLE SOLUTION

Best in class for indoor air quality
(TVOC < 10 µg/m³ after 28 days)





HERRINGBONE BLOND



0538 - Habana Vinales



0722 - Herringbone Blond




0522 - Habana Trinidad




0724 - Herringbone Chatain






10 cm

0528 - Walnut Cream



11,2 /
14,2 /
8,7 /
6,4 cm

0671 - Loft Light Brown




No plank
Continuous design

0720 - Infinity Aube




20 cm

0721 - Charme Natural




No plank
Continuous design

0727 - Sycamore Vanilla



10 cm

1314 - Walnut Brown



16,6 cm

0760 - Moon Island



16,6 cm


0371 - Noma Rustic







SYCAMORE LIGHT BROWN



16,6 cm

0519 - Noma Beige




16,6 cm

0773 - Portobello



No plank
Continuous design

0725 - Sycamore Light Brown



11,27
14,2 /
8,7 /
6,4 cm


0734 - Loft Chestnut





No plank
Continuous design

0680 - Infinity Greige



16,6 cm

0373 - Noma Ice



No plank
Continuous design

0719 - Infinity Lichen



20 cm

0723 - Charme Pecan



No plank
Continuous design

0068 - Renzo Pecan



No plank
Continuous design

0726 - Sycamore Dark



No plank
Continuous design

0025 - Renzo Taupe









MOHAIR DARK



0769 - Mohair White




0543 - Cemento Brescia



0766 - Mohair Dark



0525 - Cemento Modena





0523 - Cemento Genova




0524 - Cemento Capri



0767 - Mohair Natural







TRAME ROSE



0770 - Gentlemen Clear




0771 - Gentlemen Grey



0772 - Gentlemen Coffee






0774 - Trame Clear



0776 - Trame Beige



0777 - Trame Rose



0775 - Trame Blue







STARS BALTIQUE



0758 - Rice Sea



0740 - Corner Turquoise




6262 - Uni Turquoise



0754 - Kubes Blue



6261 - Uni Blue



0732 - Corner Dark Blue



0749 - Kubes Sky



6260 - Uni Dark Blue



0743 - Stars Baltique





0739 - Corner Anis



6263 - Uni Anis



0735 - Rice Light Green




0747 - Kubes Olive



6264 - Uni Olive








RICE COQUELICOT



0738 - Rice Copper



0733 - Corner Copper



0752 - Kubes Gold






0759 - Rice Mustard



0757 - Rice Coquelicot



0750 - Kubes Sun



0748 - Kubes Burgundy



6268 - Uni Sun



6269 - Uni Orange



0764 - Stars Orange




0741 - Corner Tomette



6270 - Uni Tomette








KUBES BEIGE




0763 - Rice Greige




0755 - Kubes White



0736 - Rice Champagne



6273 - Uni White



0756 - Kubes Beige



6267 - Uni Beige



0728 - Corner Offwhite



0730 - Corner Light Beige






0762 - Rice Brown



6265 - Uni Brown



0765 - Nest Taupe



0751 - Kubes Taupe








NEST BLACK



0753 - Kubes Grey




0746 - Nest Black



0778 - Uni Anthracite




0744 - Stars Anthracite





0737 - Rice Souris



6271 - Uni Grey




0745 - Nest Metal




0729 - Corner Metal






DESIGN OVERVIEW



Charme




0721 - Charme Natural




0723 - Charme Pecan

Habana



0538 - Habana Vinales



0522 - Habana Trinidad

Herringbone





0722 - Herringbone Blond




0724 - Herringbone Chatain

Loft




0671 - Loft Light Brown



0734 - Loft Chestnut

Moon Island



0760 - Moon Island



COMFORT



COMPACT


Noma



0371 - Noma Rustic



0373 - Noma Ice




0519 - Noma Beige

Portobello




0773 - Portobello

Walnut




0528 - Walnut Cream




1314 - Walnut Brown

Infinity




No plank
Continuous design

0680 - Infinity Greige



No plank
Continuous design


0720 - Infinity Aube



No plank
Continuous design

0719 - Infinity Lichen

Renzo



No plank
Continuous design


0068 - Renzo Pecan



No plank
Continuous design


0025 - Renzo Taupe

Sycamore




No plank
Continuous design

0727 - Sycamore Vanilla



No plank
Continuous design


0726 - Sycamore Dark



No plank
Continuous design

0725 - Sycamore Light Brown

Cemento



0543 - **Cemento** Brescia



0523 - **Cemento** Genova



0524 - **Cemento** Capri



0525 - **Cemento** Modena



COMFORT



COMPACT

Gentlemen



0770 - **Gentlemen** Clear




0771 - **Gentlemen** Grey




0772 - **Gentlemen** Coffee

Mohair



0769 - **Mohair** White




0767 - **Mohair** Natural



0766 - **Mohair** Dark


Trame




0774 - **Trame** Clear



0776 - **Trame** Beige




0777 - **Trame** Rose



0775 - **Trame** Blue

Corner



0728 - Corner Offwhite



0729 - Corner Metal



0730 - Corner Light Beige



0733 - Corner Copper



0732 - Corner Dark Blue



0740 - Corner Turquoise



0739 - Corner Anis



0741 - Corner Tomette

Kubes



0755 - Kubes White




0750 - Kubes Sun



0749 - Kubes Sky



0754 - Kubes Blue



0753 - Kubes Grey



0756 - Kubes Beige



0752 - Kubes Gold



0748 - Kubes Burgundy



0747 - Kubes Olive



0751 - Kubes Taupe

Nest



0745 - Nest Metal



0746 - Nest Black



0765 - Nest Taupe



COMFORT



COMPACT

Rice




0759 - Rice Mustard



0758 - Rice Sea




0735 - Rice Light Green



0757 - Rice Coquelicot



0737 - Rice Souris




0763 - Rice Greige



0738 - Rice Copper



0736 - Rice Champagne



0762 - Rice Brown

Stars



0764 - Stars Orange



0743 - Stars Baltique



0744 - Stars Anthracite



COMFORT

Uni



6260 - Uni Dark Blue




6261 - Uni Blue



6262 - Uni Turquoise



6263 - Uni Anis



6264 - Uni Olive



6265 - Uni Brown



6267 - Uni Beige




6268 - Uni Sun




6269 - Uni Orange




6270 - Uni Tomette



0778 - Uni Anthracite




6271 - Uni Grey




6273 - Uni White




TARALAY IMPRESSION COMFORT



TARALAY IMPRESSION COMPACT



TARALAY UNI COMFORT



TARALAY IMPRESSION COMFORT

TARALAY IMPRESSION COMFORT is an acoustic multi-layered vinyl floor covering, available in 2m wide sheets, with a group T wear rating.

The product comprises a Very High Density (VHD) foam backing reinforced with glass fibre and a printed design that is protected by a transparent wearlayer (0.65 mm thick). **It offers 19 dB sound insulation and an indentation resistance of 0.08 mm.**

TARALAY IMPRESSION COMFORT is treated with **PROTECSOL2®**, a UV-cured surface treatment, which facilitates maintenance and significantly reduces maintenance costs (less use of water and detergent).

It is a patented surface treatment obtained by UV laser cross-linking, offering the best chemical resistance to the main

products used in healthcare environments, such as betadine, eosin and hydro-alcoholic solutions, making maintenance easy and the floor long-lasting. This treatment means that applying any acrylic emulsion (metallisation) over the lifetime of the product is unnecessary.

It is free from formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bio-accumulative and toxic) substances, and is REACH compliant.

Its VOC emissions after 28 days (ISO 16000-6) are below detection levels ($<10 \mu\text{g}/\text{m}^3$), and this product is classified A+ (the best class).

TARALAY IMPRESSION COMPACT

TARALAY IMPRESSION COMPACT is a multi-layered vinyl floor covering, available in 2m wide sheets, with a group T wear rating.

The product comprises a compacted backing reinforced with glass fibre and a printed design that is protected by a transparent wearlayer (0.70 mm thick). **It offers 8 dB sound insulation and an indentation resistance of 0.03 mm.**

TARALAY IMPRESSION COMPACT is treated with **PROTECSOL2®**, a UV-cured surface treatment, which facilitates maintenance and significantly reduces maintenance costs (less use of water and detergent).

It is a patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main

products used in healthcare environments, such as betadine, eosin and hydro-alcoholic solutions, making maintenance easy and the floor long-lasting. This treatment means that applying any acrylic emulsion over the lifetime of the product is unnecessary.

It is free from formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bio-accumulative and toxic) substances, and is REACH compliant.

Its VOC emissions after 28 days (ISO 16000-6) are below detection levels ($<10 \mu\text{g}/\text{m}^3$) and this product is classified A+ (the best class).

TARALAY UNI COMFORT

TARALAY UNI COMFORT is an acoustic multi-layered vinyl floor covering, available in 2m wide sheets, with a group T wear rating.

The product comprises a Very High Density (VHD) foam backing reinforced with glass fibre and a calendared wearlayer (0.65 mm thick). **It offers 17 dB sound insulation and an indentation resistance of 0.11mm.** It has a plain coloured design, making it ideal for cut design work.

It is protected by a UV-cured ProtecSol® surface treatment, which facilitates ease of maintenance and permanently eliminates the need for an acrylic emulsion (metallisation).

It does not contain any heavy metals or CMR 1&2 substances and it is 100% REACH compliant. The product emission rate of volatile organic compounds is $< 10 \mu\text{g}/\text{m}^3$ (TVOC after 28 days – ISO 16000 -6). It is 100% recyclable.

DESCRIPTION

Total thickness	EN ISO 24346 [EN 428]	mm	2.00	3.35	3.00
	ASTM F386-02	inch	0.08	0.13	0.1
Wearlayer thickness	EN ISO 24340 [EN 429]	mm	0.70	0.65	0.65
	ASTM F410-02	inch	0.028	0.026	0.026
Weight	EN ISO 23997 [EN 430]	g/sq.m	2635	2825	2300
Width of sheet	EN ISO 24341 [EN 426]	cm	200	200	200
	-	feet - inch	6'6"	6'6"	6'6"
Length of sheet	EN ISO 24341 [EN 426]	m	25	25	25
	-	feet - inch	82'	82'	82'

CLASSIFICATION

Norm / Product specification	-	-	EN ISO 10582 [EN 649]	EN 651	EN 651
European classification	EN ISO 10874 [EN 685]	Class	34-43	34 - 42	34-42
Fire rating	EN 13501-1	Class	B _{fl-s1}	B _{fl-s1}	C _{fl-s1}
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2
Slip resistance wet : ramp test with oil (1)	DIN 51130	Class	R10	R10	R10







PERFORMANCE

Wear resistance	EN 660.2	mm ³	≤ 2.0	≤ 2.00	≤ 2.0
Wear group	NF 189	Group	T	T	T
Type binder content	ISO 10582	Type	I	-	-
Dimensional stability	EN ISO 23999 [EN 434]	%	≤ 0.40	≤ 0.40	≤ 0.40
Residual indentation [requirement]	EN ISO 24343-1 [EN 433]	mm	≤ 0.10	≤ 0.20	≤ 0.20
Residual indentation [average value measured]	-	mm	≈ 0.03	≈ 0.08	≈ 0.11
Impact sound insulation	EN ISO 717-2	dB	8	19	17
Castor chair test (type W)	ISO 4918 [EN 425]	-	OK	OK	OK
Thermal conductivity	EN ISO 10456 [EN 12 524]	W/(m.K)	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	Degree	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	PROTECSOL® 2	PROTECSOL® 2	Protecsol®
Chemical product resistance [2]	EN ISO 26987 [EN 423]	-	OK	OK	OK
Anti-bacterial activity [E. coli - S. aureus - MRSA] (3)	ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth

ENVIRONMENT / INDOOR AIR QUALITY

TVOC after 28 days	ISO 16000-6	µg/m ³	< 10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore®

CE MARKING

CE	EN 14041	-			
					

(1) For lifetime sustainable wet resistance, please refer to Tarasafe ranges. (2) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.
(3) The implementation of an effective cleaning regime is the best defence against infection.





NOTES

gerflor.com

ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC

Gerflor. *Don't forget* our complementary ranges!



Handrails



Wall Coverings
& Protections



Entrance mats



Skirtings & Profiles

and *Be* **CONNECTED!**



www.gerflor.com

TARALAY IMPRESSION, **LESS SPEAKING FOR MORE ACTION**



COMPOSITION
100% REACH



RECYCLABILITY
100%



**INDOOR
AIR QUALITY**
Floorscore certified
(TVOC < 10ug/m³ after 28 days)



LCA
Eco-designed according to
a product-specific life cycle
analysis



WELLNESS
Anti slip R10
Comfort version :
A class (walking comfort) and
-19dB (impact sound insulation)